PHQ-9: Modified for Teens

Name: _____ **Clinician:** _____ **Date:** _____

Instructions: How often have you been bothered by each of the following symptoms during the past **two weeks**? For each symptom put an **"X"** in the box beneath the answer that best describes how you have been feeling.

	(0) Not At All	(1) Several Days	(2) More Than Half the Days	(3) Nearly Every Day
1. Feeling down, depressed, irritable, or hopeless?	☐	☐	☐	☐
2. Little interest or pleasure in doing things?	☐	☐	☐	☐
3. Trouble falling asleep, staying asleep, or sleeping too much?	☐	☐	☐	☐
4. Poor appetite, weight loss, or overeating?	☐	☐	☐	☐
5. Feeling tired, or having little energy?	☐	☐	☐	☐
6. Feeling bad about yourself – or feeling that you are a failure, or that you have let yourself or your family down?	☐	☐	☐	☐
7. Trouble concentrating on things like school work, reading, or watching TV?	☐	☐	☐	☐
8. Moving or speaking so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you were moving around a lot more than usual?	☐	☐	☐	☐
9. Thoughts that you would be better off dead, or of hurting yourself in some way?	☐	☐	☐	☐

In the **past year** have you felt depressed or sad most days, even if you felt okay sometimes?
[ ] Yes [ ] No

If you are experiencing any of the problems on this form, how **difficult** have these problems made it for you to do your work, take care of things at home or get along with other people?

[ ] Not difficult at all [ ] Somewhat difficult [ ] Very difficult [ ] Extremely difficult

Has there been a time in the **past month** when you have had serious thoughts about ending your life?
[ ] Yes [ ] No

Have you **EVER**, in your WHOLE LIFE, tried to kill yourself or made a suicide attempt?
[ ] Yes [ ] No

***If you have had thoughts that you would be better off dead or of hurting yourself in some way, please discuss this with your Health Care Clinician, go to a hospital emergency room or call 911.*

Office use only: Severity score: _____

Modified with permission by the GLAD-PC team from the PHQ-9 (Spitzer, Williams, & Kroenke, 1999), Revised PHQ-A (Johnson, 2002), and the CDS (DISC Development Group, 2000)

PATIENT HEALTH QUESTIONNAIRE-9 (PHQ-9)

Over the last 2 weeks, how often have you been bothered by any of the following problems? *(Use "✔" to indicate your answer)*	**Not at all**	**Several days**	**More than half the days**	**Nearly every day**
1. Little interest or pleasure in doing things	0	1	2	3
2. Feeling down, depressed, or hopeless	0	1	2	3
3. Trouble falling or staying asleep, or sleeping too much	0	1	2	3
4. Feeling tired or having little energy	0	1	2	3
5. Poor appetite or overeating	0	1	2	3
6. Feeling bad about yourself — or that you are a failure or have let yourself or your family down	0	1	2	3
7. Trouble concentrating on things, such as reading the newspaper or watching television	0	1	2	3
8. Moving or speaking so slowly that other people could have noticed? Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual	0	1	2	3
9. Thoughts that you would be better off dead or of hurting yourself in some way	0	1	2	3

FOR OFFICE CODING 0 + _____ + _____ + _____

=Total Score: _____

If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all	**Somewhat difficult**	**Very difficult**	**Extremely difficult**
☐	☐	☐	☐

GAD-7 Anxiety

Over the last two weeks, how often have you been bothered by the following problems?	Not at all	Several days	More than half the days	Nearly every day
1. Feeling nervous, anxious, or on edge	0	1	2	3
2. Not being able to stop or control worrying	0	1	2	3
3. Worrying too much about different things	0	1	2	3
4. Trouble relaxing	0	1	2	3
5. Being so restless that it is hard to sit still	0	1	2	3
6. Becoming easily annoyed or irritable	0	1	2	3
7. Feeling afraid, as if something awful might happen	0	1	2	3

Column totals 0 + _____ + _____ + _____ =

Total score _____

If you checked any problems, how difficult have they made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all	Somewhat difficult	Very difficult	Extremely difficult
☐	☐	☐	☐

Scoring GAD-7 Anxiety Severity

This is calculated by assigning scores of 0, 1, 2, and 3 to the response categories, respectively, of "not at all," "several days," "more than half the days," and "nearly every day."
GAD-7 total score for the seven items ranges from 0 to 21.

0–4: minimal anxiety

5–9: mild anxiety

10–14: moderate anxiety

15–21: severe anxiety

Obsessive Compulsive Inventory – Revised (OCI-R)

The following statements refer to experiences that many people have in their everyday lives. Select the number that best describes **HOW MUCH** that experience has **DISTRESSED** or **BOTHERED** you during the **PAST MONTH.**

		Not at all	A little	Moderately	A lot	Extremely
1.	I have saved up so many things that they get in the way.	0	1	2	3	4
2.	I check things more often than necessary.	0	1	2	3	4
3.	I get upset if objects are not arranged properly.	0	1	2	3	4
4.	I feel compelled to count while I am doing things.	0	1	2	3	4
5.	I find it difficult to touch an object when I know it has been touched by strangers or certain people.	0	1	2	3	4
6.	I find it difficult to control my own thoughts.	0	1	2	3	4
7.	I collect things I don't need.	0	1	2	3	4
8.	I repeatedly check doors, windows, drawers, etc.	0	1	2	3	4
9.	I get upset if others change the way I have arranged things.	0	1	2	3	4
10.	I feel I have to repeat certain numbers.	0	1	2	3	4
11.	I sometimes have to wash or clean myself simply because I feel contaminated.	0	1	2	3	4
12.	I am upset by unpleasant thoughts that come into my mind against my will.	0	1	2	3	4
13.	I avoid throwing things away because I am afraid I might need them later.	0	1	2	3	4
14.	I repeatedly check gas and water taps and light switches after turning them off.	0	1	2	3	4
15.	I need things to be arranged in a particular way.	0	1	2	3	4
16.	I feel that there are good and bad numbers.	0	1	2	3	4
17.	I wash my hands more often and longer than necessary.	0	1	2	3	4
18.	I frequently get nasty thoughts and have difficulty in getting rid of them.	0	1	2	3	4

Copyright Information:

Mood Disorder Questionnaire

Patient Name _____ Date of Visit _____

Please answer each question to the best of your ability

1. Has there ever been a period of time when you were not your usual self and...	**YES**	**NO**
...you felt so good or so hyper that other people thought you were not your normal self or you were so hyper that you got into trouble?	☐	☐
...you were so irritable that you shouted at people or started fights or arguments?	☐	☐
...you felt much more self-confident than usual?	☐	☐
...you got much less sleep than usual and found that you didn't really miss it?	☐	☐
...you were more talkative or spoke much faster than usual?	☐	☐
...thoughts raced through your head or you couldn't slow your mind down?	☐	☐
...you were so easily distracted by things around you that you had trouble concentrating or staying on track?	☐	☐
...you had more energy than usual?	☐	☐
...you were much more active or did many more things than usual?	☐	☐
...you were much more social or outgoing than usual, for example, you telephoned friends in the middle of the night?	☐	☐
...you were much more interested in sex than usual?	☐	☐
...you did things that were unusual for you or that other people might have thought were excessive, foolish, or risky?	☐	☐
...spending money got you or your family in trouble?	☐	☐

2. If you checked YES to more than one of the above, have several of these ever happened during the same period of time?	☐	☐

3. How much of a problem did any of these cause you - like being unable to work; having family, money or legal troubles; getting into arguments or fights?

☐ No problems ☐ Minor problem ☐ Moderate problem ☐ Serious problem

This instrument is designed for screening purposes only and not to be used as a diagnostic tool.
Permission for use granted by RMA Hirschfeld, MD

COLUMBIA-SUICIDE SEVERITY RATING SCALE

Screen Version

SUICIDE IDEATION DEFINITIONS AND PROMPTS	Since Last Visit	
Ask questions that are bold and underlined	**YES**	**NO**
Ask Questions 1 and 2		
1) Wish to be Dead: Person endorses thoughts about a wish to be dead or not alive anymore, or wish to fall asleep and not wake up. ***Have you wished you were dead or wished you could go to sleep and not wake up?***		
2) Suicidal Thoughts: General non-specific thoughts of wanting to end one's life/die by suicide, "*I've thought about killing myself*" without general thoughts of ways to kill oneself/associated methods, intent, or plan. ***Have you actually had any thoughts of killing yourself?***		
If YES to 2, ask questions 3, 4, 5, and 6. If NO to 2, go directly to question 6		
3) Suicidal Thoughts with Method (without Specific Plan or Intent to Act): Person endorses thoughts of suicide and has thought of a least one method during the assessment period. This is different than a specific plan with time, place or method details worked out. "*I thought about taking an overdose but I never made a specific plan as to when where or how I would actually do it....and I would never go through with it.*" ***Have you been thinking about how you might kill yourself?***		
4) Suicidal Intent (without Specific Plan): Active suicidal thoughts of killing oneself and patient reports having some intent to act on such thoughts, as opposed to "*I have the thoughts but I definitely will not do anything about them.*" ***Have you had these thoughts and had some intention of acting on them?***		
5) Suicide Intent with Specific Plan: Thoughts of killing oneself with details of plan fully or partially worked out and person has some intent to carry it out. ***Have you started to work out or worked out the details of how to kill yourself and do you intend to carry out this plan?***		
6) Suicide Behavior ***Have you done anything, started to do anything, or prepared to do anything to end your life?*** Examples: Collected pills, obtained a gun, gave away valuables, wrote a will or suicide note, took out pills but didn't swallow any, held a gun but changed your mind or it was grabbed from your hand, went to the roof but didn't jump; or actually took pills, tried to shoot yourself, cut yourself, tried to hang yourself, etc.		

For inquiries and training information contact: Kelly Posner, Ph.D.
New York State Psychiatric Institute, 1051 Riverside Drive, New York, New York, 10032; posnerk@nyspi.columbia.edu

PCL-5

Instructions: Below is a list of problems that people sometimes have in response to a very stressful experience. Keeping your worst event in mind, please read each problem carefully and then select one of the numbers to the right to indicate how much you have been bothered by that problem in the past month.

Your worst event: _____

In the past month, how much were you bothered by:	Not at all	A little bit	Moderately	Quite a bit	Extremely
1. Repeated, disturbing, and unwanted memories of the stressful experience?	0 ○	1 ○	2 ○	3 ○	4 ○
2. Repeated, disturbing dreams of the stressful experience?	0 ○	1 ○	2 ○	3 ○	4 ○
3. Suddenly feeling or acting as if the stressful experience were actually happening again (as if you were actually back there reliving it)?	0 ○	1 ○	2 ○	3 ○	4 ○
4. Feeling very upset when something reminded you of the stressful experience?	0 ○	1 ○	2 ○	3 ○	4 ○
5. Having strong physical reactions when something reminded you of the stressful experience (for example, heart pounding, trouble breathing, sweating)?	0 ○	1 ○	2 ○	3 ○	4 ○
6. Avoiding memories, thoughts, or feelings related to the stressful experience?	0 ○	1 ○	2 ○	3 ○	4 ○
7. Avoiding external reminders of the stressful experience (for example, people, places, conversations, activities, objects, or situations)?	0 ○	1 ○	2 ○	3 ○	4 ○
8. Trouble remembering important parts of the stressful experience?	0 ○	1 ○	2 ○	3 ○	4 ○
9. Having strong negative beliefs about yourself, other people, or the world (for example, having thoughts such as: I am bad, there is something seriously wrong with me, no one can be trusted, the world is completely dangerous)?	0 ○	1 ○	2 ○	3 ○	4 ○
10. Blaming yourself or someone else for the stressful experience or what happened after it?	0 ○	1 ○	2 ○	3 ○	4 ○
11. Having strong negative feelings such as fear, horror, anger, guilt, or shame?	0 ○	1 ○	2 ○	3 ○	4 ○
12. Loss of interest in activities that you used to enjoy?	0 ○	1 ○	2 ○	3 ○	4 ○
13. Feeling distant or cut off from other people?	0 ○	1 ○	2 ○	3 ○	4 ○
14. Trouble experiencing positive feelings (for example, being unable to feel happiness or have loving feelings for people close to you)?	0 ○	1 ○	2 ○	3 ○	4 ○
15. Irritable behavior, angry outbursts, or acting aggressively?	0 ○	1 ○	2 ○	3 ○	4 ○
16. Taking too many risks or doing things that could cause you harm?	0 ○	1 ○	2 ○	3 ○	4 ○
17. Being "superalert" or watchful or on guard?	0 ○	1 ○	2 ○	3 ○	4 ○
18. Feeling jumpy or easily startled?	0 ○	1 ○	2 ○	3 ○	4 ○
19. Having difficulty concentrating?	0 ○	1 ○	2 ○	3 ○	4 ○
20. Trouble falling or staying asleep?	0 ○	1 ○	2 ○	3 ○	4 ○

Adult ADHD Self-Report Scale (ASRS-v1.1) Symptom Checklist

Patient Name		Today's Date	

Please answer the questions below, rating yourself on each of the criteria shown using the scale on the right side of the page. As you answer each question, place an X in the box that best describes how you have felt and conducted yourself over the past 6 months. Please give this completed checklist to your healthcare professional to discuss during today's appointment.	Never	Rarely	Sometimes	Often	Very Often
1. How often do you have trouble wrapping up the final details of a project, once the challenging parts have been done?					
2. How often do you have difficulty getting things in order when you have to do a task that requires organization?					
3. How often do you have problems remembering appointments or obligations?					
4. When you have a task that requires a lot of thought, how often do you avoid or delay getting started?					
5. How often do you fidget or squirm with your hands or feet when you have to sit down for a long time?					
6. How often do you feel overly active and compelled to do things, like you were driven by a motor?					
					Part A
7. How often do you make careless mistakes when you have to work on a boring or difficult project?					
8. How often do you have difficulty keeping your attention when you are doing boring or repetitive work?					
9. How often do you have difficulty concentrating on what people say to you, even when they are speaking to you directly?					
10. How often do you misplace or have difficulty finding things at home or at work?					
11. How often are you distracted by activity or noise around you?					
12. How often do you leave your seat in meetings or other situations in which you are expected to remain seated?					
13. How often do you feel restless or fidgety?					
14. How often do you have difficulty unwinding and relaxing when you have time to yourself?					
15. How often do you find yourself talking too much when you are in social situations?					
16. When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish them themselves?					
17. How often do you have difficulty waiting your turn in situations when turn taking is required?					
18. How often do you interrupt others when they are busy?					
					Part B

Adverse Childhood Experience Questionnaire for Adults

California Surgeon General's Clinical Advisory Committee

NORKRIS SERVICES, INC.
Attentive Therapeutic Expressive Minds Working For Children and Families Mental Wellbeing

Our relationships and experiences—even those in childhood—can affect our health and well-being. Difficult childhood experiences are very common. Please tell us whether you have had any of the experiences listed below, as they may be affecting your health today or may affect your health in the future. This information will help you and your provider better understand how to work together to support your health and well-being.

Instructions: Below is a list of 10 categories of Adverse Childhood Experiences (ACEs). From the list below, please place a checkmark next to each ACE category that you experienced prior to your 18th birthday. Then, please add up the number of categories of ACEs you experienced and put the *total number* at the bottom.	
1. Did you feel that you didn't have enough to eat, had to wear dirty clothes, or had no one to protect or take care of you?	☐
2. Did you lose a parent through divorce, abandonment, death, or other reason?	☐
3. Did you live with anyone who was depressed, mentally ill, or attempted suicide?	☐
4. Did you live with anyone who had a problem with drinking or using drugs, including prescription drugs?	☐
5. Did your parents or adults in your home ever hit, punch, beat, or threaten to harm each other?	☐
6. Did you live with anyone who went to jail or prison?	☐
7. Did a parent or adult in your home ever swear at you, insult you, or put you down?	☐
8. Did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way?	☐
9. Did you feel that no one in your family loved you or thought you were special?	☐
10. Did you experience unwanted sexual contact (such as fondling or oral/anal/vaginal intercourse/penetration)?	☐
Your ACE score is the total number of checked responses	

Do you believe that these experiences have affected your health? ◯ **Not Much** ◯ **Some** ◯ **A Lot**

Experiences in childhood are just one part of a person's life story.
There are many ways to heal throughout one's life.

Please let us know if you have questions about privacy or confidentiality.

5/5/20

Screen for Adult Anxiety Related Disorders (SCAARED)

TO BE COMPLETED BY THE PATIENT

Name: _____ Date: _____

Directions:

Below is a list of sentences that describe how people feel. Read each phrase and decide if it is "Not True or Hardly Ever True" or "Somewhat True or Sometimes True" or "Very True or Often True" for you. Then, for each sentence, check √ the box that corresponds to the response that seems to describe you now *or within the past 3 months*.

	0 Not True or Hardly Ever True	1 Somewhat True or Sometimes True	2 Very True or Often True	
1. When I feel nervous, it is hard for me to breathe.				PN
2. I get headaches when I am at school, at work or in public places.				PN
3. I don't like to be with people I don't know well.				SC
4. I get nervous if I sleep away from home.				SP
5. I worry about people liking me.				GD
6. When I get anxious, I feel like passing out.				PN
7. I am nervous.				GD
8. It is hard for me to stop worrying.				GD
9. People tell me that I look nervous.				PN
10. I feel nervous with people I don't know well.				SC
11. I get stomachaches at school, at work, or in public places.				PN
12. When I get anxious, I feel like I'm going crazy.				PN
13. I worry about sleeping alone.				SP
14. I worry about being as good as other people.				GD
15. When I get anxious, I feel like things are not real.				PN
16. I have nightmares about something bad happening to my family.				SP
17. I worry about going to work or school, or to public places.				PN
18. When I get anxious, my heart beats fast.				PN
19. I get shaky.				PN
20. I have nightmares about something bad happening to me.				SP

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____

Parent's Name: _____ Parent's Phone Number: _____

Directions: **Each rating should be considered in the context of what is appropriate for the age of your child. When completing this form, please think about your child's behaviors in the past 6 months.**

Is this evaluation based on a time when the child ☐ **was on medication** ☐ **was not on medication** ☐ **not sure?**

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	1	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22. Deliberately annoys people	0	1	2	3
23. Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and wants to get even	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen things that have value	0	1	2	3

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 1102

NORKRIS SERVICES, INC.
Attentive Therapeutic Expressive Minds Working For Children and Families Mental Wellbeing

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____

Parent's Name: _____ Parent's Phone Number: _____

Symptoms (continued)	Never	Occasionally	Often	Very Often
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
48. Overall school performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	2	3	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

Comments:

For Office Use Only

Total number of questions scored 2 or 3 in questions 1–9: _____

Total number of questions scored 2 or 3 in questions 10–18: _____

Total Symptom Score for questions 1–18: _____

Total number of questions scored 2 or 3 in questions 19–26: _____

Total number of questions scored 2 or 3 in questions 27–40: _____

Total number of questions scored 2 or 3 in questions 41–47: _____

Total number of questions scored 4 or 5 in questions 48–55: _____

Average Performance Score: _____

D5 NICHQ Vanderbilt Assessment Follow-up—PARENT Informant, continued

Today's Date: _____ Child's Name: _____ Date of Birth: _____

Parent's Name: _____ Parent's Phone Number: _____

Side Effects: Has your child experienced any of the following side effects or problems in the past week?	Are these side effects currently a problem?			
	None	**Mild**	**Moderate**	**Severe**
Headache				
Stomachache				
Change of appetite—explain below				
Trouble sleeping				
Irritability in the late morning, late afternoon, or evening—explain below				
Socially withdrawn—decreased interaction with others				
Extreme sadness or unusual crying				
Dull, tired, listless behavior				
Tremors/feeling shaky				
Repetitive movements, tics, jerking, twitching, eye blinking—explain below				
Picking at skin or fingers, nail biting, lip or cheek chewing—explain below				
Sees or hears things that aren't there				

Explain/Comments:

For Office Use Only

Total Symptom Score for questions 1–18: _____

Average Performance Score for questions 19–26: _____

Adapted from the Pittsburgh side effects scale, developed by William E. Pelham, Jr, PhD.